

CATALOG





At XPro Tools, we develop and manufacture professional tools and solutions for installing ceramic and porcelain tiles. Our brand is born from industry experience and a commitment to offering products that combine durability, ergonomics, and ease of use.

Continuous innovation is one of our pillars. We design solutions that respond to the real needs of professionals, adapting to both residential projects and large-scale commercial works.

With a presence in highly demanding markets such as Europe and the United States, we understand the daily challenges of professional installation. Therefore, we develop reliable and precise tools that help optimize working times, improve execution quality, and guarantee consistent results in any type of project.

At XPro Tools, we work to turn the installer's experience into products that bring efficiency, precision, and confidence to every job site.

Our mission is to help you install like a
X-PRO

For more information:



help@xpro-tools.com



+1 800-596-7885



(+34) 661 60 15 96

www.xpro-tools.com

Index


Leveling Clips	4
Leveling Wedges	5
Leveling Pliers	5
Leveling Spin	6
Tile Spacers	7
Horseshoe Shims	8
Wedge Tile Spacers	8
Trowels	9
Displays	10

Leveling Clips

The XPro tile leveling clip system is designed to achieve a fast, accurate, and professional installation of ceramic tiles, especially in large formats, while offering a unique solution to help protect tile edges throughout the laying process. Its combination of high-strength clips and reusable wedges helps eliminate lippage between pieces, improve flatness, and achieve a uniform finish on both floors and walls. Additionally, its user-friendly operation optimizes installation time and reduces errors during the adhesive curing process. Clips are available in different sizes: 0.5mm, 1mm, 1.5mm, 2mm, 3mm, and 5mm.



	DESCRIPTION	REF.	PCS / BAG	BAG / BOX	BOX / PALLET	UPC
	Clip 1/64" (0,5 mm)	101052	250	12	30	791126050849
		164500-1	500	6	30	643459810846
	Clip 1/32" (1 mm)	101125	250	12	30	791126050856
		132500	500	6	30	643459810822
	Clip 1/16" (1,5 mm)	101152	250	12	30	791126050863
		401650	500	6	30	630808760679
	Clip 3/32" (2 mm)	101225	250	12	30	791126050924
		101250	500	6	30	791126050931
	Clip 1/8" (3 mm)	101325	250	12	30	791126050948
		400850	500	6	30	630808760693
	Clip 3/16" (5 mm)	101525	250	10	30	791126050993
		531650-1	500	5	30	630808760723



ADDITIONAL INFORMATION

Sales unit: 1 bag

Dimensions for 250-unit bag: 25 x 36 cm

Dimensions for 500-unit bag: 38 x 54 cm

Master carton dimensions: 55 x 38 x 30 cm

54 cm



38 cm

Leveling Wedges

XPro **wedges** are reusable and manufactured to withstand heavy-duty use. They stand out for their exceptional durability and wear resistance. Their robust design guarantees consistent performance installation after installation, maximizing efficiency on the job site. Thanks to its exclusive integrated bridge, XPro is the only system that effectively protects tile edges, reducing mishaps during installation and ensuring flawless results. Available in packs of 100 and 250 units.



REUSABLE



PROTECTS TILE
EDGES



HEAVY-DUTY

	DESCRIPTION	REF.	UDS / BAG	BAG / BOX	BOX / PALLET	UPC
	Leveling Wedges	101100	100	15	30	791126051006
		200250	250	6	30	630808760655



ADDITIONAL INFORMATION

Sales unit: **1 bag**
 Dimensions for 100-unit bag: 25 x 36 cm
 Dimensions for 250-unit bag: 38 x 54 cm
 Master carton dimensions: 55 x 38 x 30 cm

Leveling Pliers

XPro **leveling pliers** are designed to make the installation of tiles easier by helping apply the right amount of pressure to wedge/clip leveling systems and achieve a faster, more precise, and more uniform installation. Their ergonomic design allows for comfortable use during long workdays, reducing installer fatigue and improving the final finish. Ideal for tile professionals, XPro pliers offer practical, durable, and reliable performance on the job site. They are a tool designed to speed up work and ensure consistent leveling in every installation.



ERGONOMIC DESIGN



UNIFORM AND
ADJUSTABLE
PRESSURE



HEAVY-DUTY

	DESCRIPTION	REF.	PCS	PCS / BOX	UPC
	Level Pliers	101020	1	30	630808760730

Leveling Spin

The XPro Spin leveling system prevents lippage when installing ceramic tiles. It is primarily designed for large-format and rectified tiles up to 5/8" (15 mm) thick, although it can also be used with smaller formats. It works with a leveling post that sits beneath the tile and a threaded cap that is tightened to apply vertical pressure and align the surface. One of its advantages is its ease of use; it requires no additional tools for tensioning or breaking, and the cap is reusable. Furthermore, its design helps distribute pressure more evenly and improves the final finish, making the job faster and more uniform. Posts available in thicknesses of 1/32" (1 mm), 1/16" (1.5 mm), and 1/8" (3 mm).



REUSABLE



NON-COMPRESSIVE



SUITABLE FOR WALLS



SUITABLE FOR FLOORS



EASY TO INSTALL AND REMOVE



FOR TILES FROM 3 TO 15MM




HIGH-PERFORMANCE PLASTIC



THIN BASE



REF.	DESCRIPTION	UPC	PCS / BAG	BAG / BOX	BOX / PALLET
	600132 Spin Leveling 1/32" (1 mm)	8436540760012	250	12	30
	600116 Spin Leveling 1/16" (1,5 mm)	6434598109076	250	12	30
	600018 Spin Leveling 1/8" (3 mm)	6434598108918	250	12	30
	600100 Cap Spin	6434598108840	100	10	30



ADDITIONAL INFORMATION

Sales unit: 1 bag

Dimensions for bag: 35 x 48 cm

Master carton dimensions: 55 x 38 x 30 cm

Tile Spacers

XPro Leave-in tile cross spacers for ceramic tiles are designed to ensure consistent joint width and a clean, professional finish. Available in 1/32", 1/16", 3/32", 1/8" and 3/16" sizes, they are suitable for both minimum joints and wider spacing requirements. They can be left in place during installation, helping to speed up the laying process. 1/32", 1/16", 3/32" and 1/8" spacers are white and have a solid design that offers high resistance to bending and crushing, making them ideal for wall and floor tile installations. 3/16" spacers have a reinforced hollow design allowing grout to penetrate easily without compromising joints in the future. Packed in a convenient jar.



LEAVE-IN AND
GROUT OVER



NON-COMPRESSIVE



SUITABLE FOR WALLS



SUITABLE FOR
FLOORS



EASY TO INSTALL
AND REMOVE



SOLID DESIGN FOR
1-3 MM



HOLLOW DESIGN
FOR 5MM

	REF.	DESCRIPTION	UPC	PCS / JAR	JAR / BOX	JAR / PALLET
+	641001	Tile Spacer 1/32" (1 mm)	741365310723	1400	21	756
+	641015	Tile Spacer 1/16" (1,5 mm)	741365310730	1300	21	756
+	641002	Tile Spacer 3/32 (2 mm)	741365310747	1200	21	756
+	641003	Tile Spacer 1/8 (3 mm)	741365310754	1000	21	756
+	641005	Tile Spacer 3/16 (5 mm)	741365310761	300	21	756

ADDITIONAL INFORMATION

Jar size



Sales unit: 1 jar

Weight: 250-500 g.

Master carton dimensions: 50 x 38 x 28 cm



Horseshoe Shims

XPro Horseshoe shims are reusable color-coded U-shaped spacers designed to help align and space ceramic tiles, marble, granite and other natural stones with precision. Their strong, non-compressible plastic construction keeps tiles evenly spaced and prevents movement under heavy loads. They are easy to place, remove, clean and reuse, making them ideal for both wall and floor tile installations. Their shape also helps lift and support tiles for a clean, uniform grout joint. Packed in a convenient jar.



REUSABLE



NON-COMPRESSIVE



SUITABLE FOR WALLS



SUITABLE FOR FLOORS



EASY TO INSTALL AND REMOVE



ADDITIONAL INFORMATION

Sales unit: 1 jar
Weight: 250-500 g.
Jar size: 12 x 11,6 cm - Ø 15 cm
Master carton dimensions: 50 x 38 x 28 cm

	REF.	DESCRIPTION	UPC	PCS / JAR	JAR / BOX	JAR / PALLET
	661015	Horseshoe Spacer 1/16" (1,5 mm)	741365310778	200	21	756
	661003	Horseshoe Spacer 1/8" (3 mm)	741365310785	150	21	756
	661005	Horseshoe Spacer 3/16" (5 mm)	791126050825	120	21	756
	661065	Horseshoe Spacer 1/4" (6,5 mm)	791126050832	90	21	756

Wedge Tile Spacers

XPro wedge tile spacers are professional-grade accessories designed for accurate spacing and alignment on wall tile installations. Crafted from durable high-impact plastic, the 3/16" wedges provide superior resistance to compression, bending, and wear during demanding tiling jobs. The tapered ergonomic shape enables fast, tool-free first row of tile adjustment up to 3/16". Trusted by installers for speeding up workflows while ensuring flawless, professional finishes every time.



REUSABLE



NON-COMPRESSIVE



SUITABLE FOR WALLS



EASY TO INSTALL AND REMOVE



ADDITIONAL INFORMATION

Sales unit: 1 jar
Weight: 250-500 g.
Jar size: 15 x 7,5 cm - Ø 7,5 cm
Master carton dimensions: 50 x 38 x 28 cm

	REF.	DESCRIPTION	UPC	PCS / JAR	JAR / BOX	JAR / PALLET
	651500	Wedge Tile Spacers 3/16"	741365310792	500	63	2.268

Trowels

The XPro notched trowels combine precision, comfort, and durability in a tool designed for demanding professionals. Their ergonomic handle provides a more comfortable and controlled user experience, while the high wear resistance notched blade ensures even adhesive distribution every time. A premium option for those seeking superior results in every installation.



STAINLESS STEEL
SHEET




0.7 MM THICK SHEET



OVERMOLD
ERGONOMIC HANDLE



LIGHT AND DURABLE




Trowel Euro/tiger



	REF.	DESCRIPTION	UPC	PCS / DISPLAY BOX	PCS / MASTER CARTON	PCS / PALLET
	600003	Trowel 1/8" x 1/8"	643459810877	6	36	900
	600045	Trowel 3/16" x 3/16"	643459810853	6	36	900
	600006	Trowel 1/4" x 1/4"	643459810860	6	36	900
	601088	Trowel 5/16" x 5/16"	791126051075	6	36	900
	601210	Trowel 3/8" x 3/8"	791126051082	6	36	900
	601212	Trowel 1/2" x 1/2"	791126051099	6	36	900
	601610	Trowel 1/4" x 3/8"	741365310709	6	36	900
	601001	Trowel Euro/tiger	741365310716	6	36	900

ADDITIONAL INFORMATION

Overall dimensions



Sales unit: 1 trowel

Weight: 300 g.

Display box size: 29 x 19 x 20 cm

Master carton dimensions: 60 x 40 x 22 cm



Displays

XPro Tools displays are designed to catch the customer's attention and present the full product range in a clear and organized manner. Their modern and professional design turns any commercial space into a more attractive and efficient point of sale.

The metal display is the perfect solution for those who want to commit to the full XPro Tools range. Its high capacity allows multiple references to be displayed in an orderly and professional way, creating an attractive and high-impact point of sale.

The cardboard display is ideal for small spaces or as a complementary display. It holds up to 11 bags of 500 leveling clips, allowing you to showcase the best-selling products in a practical and profitable way.



REF.	DESCRIPTION	UPC
 MK0005	Metal display	741365310723
 IP01347	Cardboard display	741365310761

ADDITIONAL INFORMATION

Metal display dimensions



Cardboard display dimensions



Conditions of sale

These Terms and Conditions ("Terms") apply to all sales by PTH Industries Corp - XPro Tools ("Seller"). "Buyer" refers to the party purchasing goods from Seller. "Products" means all goods listed in Seller's catalog, price list, or quoted to the Buyer.

1. **PRICING AND PAYMENT.** All prices are quoted exclusive of taxes. Applicable state and local taxes will be added to each invoice. Payment terms are Net 30 days from the invoice date unless otherwise agreed in writing. Late payments will incur a finance charge of 1.5% per month on any overdue balance, or the maximum allowed by law, whichever is lower. Failure to pay any invoice may result in the automatic acceleration of all outstanding amounts. Prices quoted in the Price List Catalog are subject to change without prior notice.
2. **SHIPPING, DELIVERY AND RISK OF LOSS.** Unless specified otherwise, all shipments are made EXW Seller's warehouse. Risk of loss or damage transfers to Buyer upon delivery to the carrier. Buyer must inspect all Products upon delivery. Claims for damage or shortage must be submitted in writing within 48 hours of receipt. Failure to do so will constitute acceptance of the Products as received. Backorders are subject to product availability. Delivery dates are estimates and not guaranteed. Special, custom, or non-standard orders are non-cancelable and non-returnable once confirmed. Cancellations of standard orders require written approval and may be subject to a 25% restocking fee.
3. **WARRANTY AND LIMITATION OF LIABILITY.** Seller warrants that Products will conform to the applicable specifications at the time of delivery. No other warranties apply, whether express or implied, including warranties of merchantability or fitness for a particular purpose. Seller's liability is limited to the replacement of defective Products or refund of the purchase price, at Seller's sole discretion. Seller is not liable for indirect, incidental, or consequential damages under any circumstances.
4. **PRODUCT RETURNS.** Products may be returned within forty-five (45) days of receipt, subject to Seller's prior written approval. After this period, returns will not be accepted. All approved returns are subject to a 25% restocking fee. Buyer is responsible for all return shipping costs. Products must be returned unused, in original packaging, and in resalable condition. Special, custom, or non-standard products are not eligible for return.
5. **PRODUCT TESTING AND SUITABILITY.** Buyer is responsible for testing the Products for the intended application. Seller assumes no liability for improper use or installation.
6. **FORCE MAJEURE.** Seller is not liable for any failure to perform due to events beyond its reasonable control, including but not limited to labor disputes, supply chain disruptions, weather, or acts of God.
7. **GOVERNING LAW AND ARBITRATION.** These Terms are governed by the laws of the State of Texas, without regard to conflict of law principles. Any dispute arising from this agreement shall be resolved by binding arbitration in Dallas, Texas, under the rules of the American Arbitration Association. Each party waives the right to a jury trial.
8. **ENTIRE AGREEMENT.** These Terms, along with any authorized quotation or invoice, constitute the entire agreement between Seller and Buyer. No verbal statements or other writings shall modify these Terms unless confirmed in writing by Seller.

WHERE TO FIND US

PMB 255
7750 N MacArthur Blvd
STE 120-255 Irving, TX 75063

TO PLACE YOUR ORDER



orders@xpro-tools.com

FOLLOW US ON SOCIAL MEDIA





Tile like a XPro

www.xpro-tools.com

PTH INDUSTRIES CORP

PMB 255
7750 N MacArthur Blvd
STE 120-255 Irving, TX 75063

help@xpro-tools.com